

SILVA
/// PRO

SS26

FREELIGHT 3000

ART. NO. 38450



Freelight is a modular headlamp with 1200-3000 lumen for professionals that require long reach spotlight and extremely bright light. Freelight 3000 is the most powerful headlamp in the Freelight series, combined with a rechargeable 72 Wh battery. The power cord is integrated into the headband and the headlamp features Airflow technology for optimal cooling. FreeLight 3000 is water-resistant according to IP55 and comes with a helmet mount.

/// FEATURES

- 3000 lumen light output
- Weight 144 g excl battery / 511 g incl battery
- Max mode: 3000 lm / 2-4 h burn time / 215 m (705 ft) light distance
- Med Mode: 1000 lm 6.5-13 h burn time / 125 m (410 ft) light distance
- Min mode: 80 lm / 70 h burn time / 45m (148 ft) light distance
- Long distance 72 Wh battery with battery indicator
- 3 brightness levels – ranging from 80 to 3000 lumen
- USB-C Charge cable is included
- More lumen in a smaller lamp head
- Headband with integrated electronics
- Free technology, no cords – no hassle
- Silva Intelligent light – a unique combination of a long reach spotlight and a close flood light
- Silva Flow Light - vary the light pattern depending on your activity
- Air flow system for optimal cooling
- Modular system for easy mix and match of lamp heads and batteries
- Dust protected and water resistant - meets the IP55 standard
- Red safety light at the back of the head

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 3000 lm | 4 | 215 m |
| MED | 1000 lm | 13 | 125 m |
| MIN | 80 lm | 70 | 45 m |

Lumen, burn time and light distance are measured according to the **ANSI FL1 STANDARD**. Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com



/// INCLUDED



| | | | |
|----------------------------|-------------------------------|---------------------|---------------------------|
| 38317 | 38234 | 38283 | 38341 |
| Free extension cable 130cm | Free Headlamp Battery L 72 Wh | Free Lamp unit 3000 | Free extension cable 40cm |

FREELIGHT 2000

ART. NO. 38449




FreeLight is a modular headlamp series for professionals, where you can mix and match lamp units of 1200-3000 lumens with different batteries. FreeLight 2000 combines 2000 lumens with a powerful 36 Wh rechargeable battery. The power cord is integrated into the headband and the headlamp features Airflow technology for optimal cooling. FreeLight 2000 is dust protected and water-resistant according to IP55 and comes with a helmet mount.

/// FEATURES


- 2000 lumen light output
- Weight 124g excl battery / 326 g incl battery
- Max mode: 2000 lm / 1.5 - 3 h burn time / 180 m (591 ft) light distance
- Med Mode: 800 lm 3 h 45 min - 7.5 h burn time / 115 m (377 ft) light distance
- Min mode: 80 lm / 35 h burn time / 45 m (148 ft) light distance
- Powerful & rechargeable 36 Wh battery with battery indicator
- 3 brightness levels – ranging from 80 to 2000 lumen
- More lumen in a smaller lamp head
- Free technology, Headband with integrated electronics, no cords - no hassle
- Silva Intelligent light – a unique combination of a long reach spotlight and a close flood light
- Silva Flow Light - vary the light pattern depending on your activity
- Air flow technology for optimal cooling
- Modular technology for easy mix and match of lamp heads and batteries
- Dust protected and water resistant - meets the IP55 standard
- Red safety light at the back of the head
- USB-C Charge cable is included

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 2000 lm | 3 | 180 m |
| MED | 800 lm | 7.5 | 115 m |
| MIN | 80 lm | 35 | 45 m |

Lumen, burn time and light distance are measured according to the **ANSI FL1 STANDARD**. Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com



/// INCLUDED



| | | | |
|---------------------|-------------------------------|----------------------------|---------------------------|
| 38282 | 38233 | 38317 | 38341 |
| Free Lamp unit 2000 | Free Headlamp Battery M 36 Wh | Free extension cable 130cm | Free extension cable 40cm |

FREELIGHT 1200

ART. NO. 38448



The FreeLight is a modular headlamp series for professionals, where you can mix and match lamp units of 1200-3000 lumens with different batteries. FreeLight 1200 provides a light output of 1200 lumens and comes with a 24 Wh rechargeable battery. The power cord is integrated into the headband and the headlamp features Airflow technology for optimal cooling. FreeLight 1200 is dust protected and water-resistant according to IP55 and comes with a helmet mount.

/// FEATURES

- 1200 lumen light output
- Weight 114 g excl battery / 263 g incl battery
- Max mode: 1200 lm / 1.5-3 h burn time / 150 m (492 ft) light distance
- Med Mode: 500 lm 4-8 h burn time / 100 m (328 ft) light distance
- Min mode: 80 lm / 25 h burn time / 45m (148 ft) light distance
- A lightweight 24.1 Wh battery with battery indication
- 3 brightness levels – ranging from 80 to 1200 lumen
- USB-C Charge cable is included
- More lumen in a smaller lamp head
- Headband with integrated electronics
- Free technology, no cords – more comfort
- Silva Intelligent light – a unique combination of a long reach spotlight and a close flood light
- Air flow technology for optimal cooling through speed wind and convection
- Modular technology for easy mix and match of lamp heads and batteries
- Dust protected and water resistant - meets the IP55 standard
- Red safety light at the back of the head

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 1200 lm | 3 | 150 m |
| MED | 500 lm | 8 | 100 m |
| MIN | 80 lm | 25 | 45 m |

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#). Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com

| | | | | | |
|--------------------|------------|---------------------|--------------------|-------------------------|-----------------------|
| battery indication | 1200 lumen | 3 brightness levels | Airflow Technology | battery holder headband | battery holder helmet |
| Free technology | headband | helmet attachment | Intelligent light | IP55 | Modular Technology |
| Power reserve | red light | USB-C rechargeable | Warranty: 5 years | | |

/// INCLUDED

| | | | | |
|------------------------------|--|------------------------------------|------------------------|--------------------------------|
| | | | | |
| 38281 Free Lamp unit 1200 | 38280 Free Headlamp Battery S 24.1 Wh | 38341 Free extension cable 40cm | 38285 Free top band | 38230 Free helmet mount kit |

ROUGHLIGHT 700

ART. NO. 38446




RoughLight 700 is a super robust and durable 700-lumen headlamp for professionals. The design is dust-tight and fully waterproof according to IP68. The clever Mag-Snap system lets you detach the lamp easily from the headband and snap it into the included helmet mount or on a metal surface. RoughLight 700 features white light, as well as red and orange LED for close-range work in dark conditions.

/// FEATURES

- 700 lumens light output
- Max mode: 700 lm / 2-3 h burn time / 105 m light distance
- Med High mode: 300 lm / 4.5-5 h burn time / 70 m light distance
- Med Low mode: 100 lm / 10 h burn time / 20 m light distance
- Min mode: 15 lm / 50 h burn time / 8 m light distance
- Integrated USB-C rechargeable battery
- Silva Intelligent Light - combining long reach spot light and close flood light
- Red light - preserves your night vision
- Orange light - optimal for reading maps and instructions
- Mag-Snap, magnetic attachment for fast interchangeability between headband, helmet mount and metal surfaces
- Helmet Mount (Mag-Snap) included
- Comfortable fit with wide headband
- Super-low mode (15 lumen) - saves battery and perfect for close up work and visibility
- Battery level indicator in four levels
- Fully dust tight/waterproof and meets the IP68 standard
- Smooth buckles for smooth adjustment of the headband
- Button lock to prevent the lamp to start by accident
- Rubber reinforcement to increase shock resistance
- Weight: 131g

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 700 lm | 3h | 105 m |
| MED | 300/100 lm | 5h / 10h | 70/20 m |
| MIN | 15 lm | 50h | 8 m |

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#). Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com



/// INCLUDED



38487
MAG-SNAP
Helmet Mount

SMARTLIGHT 500 HYBRID

ART. NO. 38468
















SmartLight 500 Hybrid is a small and versatile 500 lumen headlamp for professionals. It has a durable and dust-tight design and is water-resistant according to IP65. It includes red and orange LED light modes for close-range work in very dark conditions. The clever Mag-Snap system lets you detach the lamp from the headband easily and snap it into the included helmet mount or on a metal surface.

/// FEATURES

- 500 lumen light output
- Max mode: 500 lm / 2 h burn time / 80 m light distance
- Med Mode: 100 lm / 5 h burn time / 20 m light distance
- Min mode: 15 lm / 40 h burn time / 7 m light distance
- Hybrid technology - enabling use with a Silva Hybrid Battery or 3xAAA batteries
- Mag-Snap, magnetic attachment for fast interchangeability between headband, helmet mount and metal surfaces
- Silva Intelligent Light - combining long reach spot light and close flood light
- Red light - preserves your night vision
- Orange light - optimal for reading maps and instructions
- Super-low mode (15 lumen) - saves battery and perfect for close up work and visibility
- COB-LED for less shadows and wide working light
- Battery level indicator in four levels
- Fully dust tight/water resistant and meets the IP65 standard
- Comfortable fit with wide headband
- Smooth buckles for smooth adjustment of the headband
- Button lock to prevent the lamp to start by accident
- Rubber reinforcement to increase shock resistance
- Hybrid battery included
- Mag-Snap Helmet attachment included

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 500 lm | 2h | 80 m |
| MED | 100 lm | 5h | 20 m |
| MIN | 15 lm | 25h | 7 m |

Lumen, burn time and light distance are measured according to the **ANSI FL1 STANDARD**. Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com

| | | | | | |
|---|---|--|--|--|---|
|  USB-C rechargeable |  3 brightness levels |  3 LED colours |  500 lumen |  battery indication |  Button lock |
|  headband |  helmet attachment |  Hybrid technology |  Intelligent light |  IP65 |  MAG-SNAP |
|  Warranty: 5 years | | | | | |

/// INCLUDED



| | |
|--------------|--------------|
| 38487 | 38007 |
| MAG-SNAP | Hybrid |
| Helmet Mount | Battery 1.25 |
| | Ah (4.75 Wh) |

SMARTLIGHT 500

ART. NO. 38445



SmartLight 500 is a small and versatile 500 lumen headlamp for professionals. It has a durable and dust-tight design and is water-resistant according to IP65. It includes red and orange LED light modes for close-range work in very dark conditions. The clever Mag-Snap system lets you detach the lamp from the headband easily and snap it into the included helmet mount or on a metal surface.

/// FEATURES

- 500 lumen light output
- Max mode: 500 lm / 2 h burn time / 80 m light distance
- Med Mode: 100 lm / 5 h burn time / 20 m light distance
- Min mode: 15 lm / 40 h burn time / 7 m light distance
- Hybrid technology - enabling use with a Silva Hybrid battery or 3xAAA batteries (not included)
- Mag-Snap, magnetic attachment for fast interchangeability between headband, helmet mount and metal surfaces
- Silva Intelligent Light - combining long reach spot light and close flood light
- Red light - preserves your night vision
- Orange light - optimal for reading maps and instructions
- Super-low mode (15 lumen) - saves battery and perfect for close up work and visibility
- COB-LED for less shadows and wide working light
- Battery level indicator in four levels
- Fully dust tight/water resistant and meets the IP65 standard
- Comfortable fit with wide headband
- Smooth buckles for smooth adjustment of the headband
- Button lock to prevent the lamp to start by accident
- Rubber reinforcement to increase shock resistance
- Weight: 82g



/// INCLUDED



38487
MAG-SNAP
Helmet Mount

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|--|-----------------|----------------|---------------------|
|--|-----------------|----------------|---------------------|

| | | | |
|-----|--------|----|------|
| MAX | 500 lm | 2h | 80 m |
|-----|--------|----|------|

| | | | |
|-----|--------|----|------|
| MED | 100 lm | 5h | 20 m |
|-----|--------|----|------|

| | | | |
|-----|-------|-----|-----|
| MIN | 15 lm | 40h | 7 m |
|-----|-------|-----|-----|

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#). Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com

HEMLIGHT 300

ART. NO. 38444



Bring more light to work with HelmLight 300. The helmet light has a clever design with an extremely low profile of only 12 mm to fit under your visor. It has a 300 lumens light output that is optimal for close and medium-range work. HelmLight 300 fully dust-tight and water-resistant according to IP65 standard, has a USB-C rechargeable battery and 3 alternative mount options.

/// FEATURES

- 300 lumen light output
- Max mode: 300 lm / 2,5-3 h burn time / 30 m light distance
- Med Mode: 100 lm / 6 h burn time / 18 m light distance
- Min mode: 15 lm / 20 h burn time / 7 m light distance
- Extremely low profile to fit under visor
- Fully dust-tight/water-resistant and meets the IP65 standard
- COB-LED for fewer shadows and wide working light
- Button lock to prevent the lamp to start by accident
- Integrated USB-C rechargeable battery
- 3-level battery indicator
- Adhesive pads included
- Helmet Mount included
- Weight: 33 g



3 brightness levels



300 lumen



battery indication



Battery integrated



Button lock



helmet attachment



IP65



lightweight



USB-C rechargeable



Warranty: 5 years

/// INCLUDED



38487
MAG-SNAP
Helmet Mount

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 300 lm | 3h | 30 m |
| MED | 100 lm | 6h | 18 m |
| MIN | 15 lm | 20h | 7 m |

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#). Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com

SMINI BLACK REAR LIGHT

ART. NO. 38467



Smini Rear Light is a safety light that makes you visible from a 1000-meter distance. It features two light modes: a constant red light and a blink mode. The lamp clips easily onto your Smini headband, running vest, or backpack. The lamp can also be mounted in various ways by using the included Velcro strap. The USB-C rechargeable battery ensures you're always powered up and ready for your next run.

/// FEATURES

- Rear safety light for Smini headlamps
- Offers two light modes: a red safety light and a blink mode
- Visible from a 1000-meter distance
- Constant mode: 11 h burn time
- Blink mode 70 h burn time
- Easy to clip on to the Smini headbands, a running vest or backpack
- Multi-attachment Velcro strap included
- Battery indication
- Integrated USB-C rechargeable battery (Li-Po 700 mAh).
- USB-C charge cable included
- Material: recycled PC
- Weight: 10 g



recycled



USB-C rechargeable



IPX5



red light



lightweight



blink mode

| True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|-----------------|----------------|---------------------|
| MAX | 11 | |
| MED | | |
| MIN | | |

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#). Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com

OTHER LIGHTING



LIGHTING

SILVA

GLOW RECHARGE BLACK


ART. NO. 38506



Gather around the Glow Recharge, the compact lantern that spreads a cosy glow around the campsite, on outdoor adventures or in the cabin. Hang it in your tent with the double hooks or use one of the hooks to tilt it on a table or the ground. Switch between two 360° light modes: cool white work light or a warm campfire glow. Made from recycled materials, the Glow Recharge has a built-in battery that charges via USB-C (charging cable not included).

/// FEATURES

- Camping lantern
- 350 lumen max output
- Compact and lightweight design – can easily fit in your pocket or backpack.
- Frosted lampshade for even and bright 360° light
- 2 light modes: white and warm for activity and unwinding
- 4 brightness levels
- Super-low, battery-saving 5 lumen mode with 156 h burn time
- Double hook design for tilting or hanging the lantern in a tent
- Anti-slip details for uneven surfaces.
- Button back-light – facilitating handling in the dark
- Lock mode to prevent unintended use
- Water-resistant (IPX5)
- Integrated 2050 mAh Li-Po battery with a USB-C charging port
- Colours: black, blue, yellow
- Material: recycled plastics
- Weight: 91g



/// RELATED PRODUCTS



| | |
|---------------|----------|
| 38507 | 38508 |
| Glow | Glow |
| Recharge Blue | Recharge |
| | Yellow |

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 350 lm | 4 h 30 min | |
| MED | 100 lm | 13 h | |
| MIN | 5 / 20 lm | 156 h / 53 h | |

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#). Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com

GLOW BLACK

ART. NO. 38503




Enhance your outdoor evenings with Glow, the pocket-sized lantern that spreads a cosy glow at the campsite, during outdoor adventures, or in the cabin. The dual light modes allow you to switch between a 360° white work light or a warm, campfire-like glow. Place the lantern on a table or the ground, use one hook to tilt it, or both hooks to hang it. Glow is made from recycled materials and can be used with both AAA batteries and the rechargeable Silva Hybrid Battery (batteries not included).

/// FEATURES

- Camping lantern
- 250 lumen max output
- Compact and lightweight design – can easily fit in your pocket or backpack.
- Frosted lampshade for even and bright 360° light
- 2 light modes: white and warm for activity and unwinding
- 4 brightness levels
- Super-low, battery-saving 5 lumen mode with 101 h burn time
- Double hook design for tilting or hanging the lantern in a tent
- Anti-slip details for uneven surfaces.
- Button back-light – facilitating handling in the dark
- Lock mode to prevent unintended use
- Water-resistant (IPX5)
- Compatible with AAA batteries and Silva Hybrid Battery (batteries not included)
- Colours: black, blue, yellow
- Material: recycled plastics
- Weight excl. battery: 61g
- Weight with Silva Hybrid Battery: 86g
- Weight with AAA batteries: 94g

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 250 lm | 4 h 15 min | |
| MED | 100 lm | 9 h | |
| MIN | 5 / 20 lm | 101 h / 39 h | |

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#). Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com



/// RELATED PRODUCTS



38504
Glow Blue

38505
Glow Yellow

ZOOMLIGHT 1000

ART. NO. 38536



Zoomlight 1000 is Silva's most powerful flashlight. It boasts 1000 lumen and has a zoom function that allows you to seamlessly alternate between a narrow or wide beam by twisting the front. Zoomlight 1000 features a rugged design with a knurled surface for optimal grip. It's dustproof and waterproof (IP68) and comes with a rechargeable 18650 Li-Ion battery. Zoomlight 1000 is your reliable light, always within reach.

/// FEATURES

- 1000 lumen light output
- Zoom function – narrow or wide beam
- Weight 158 g excl battery / 205 g incl battery (18560)
- 3 brightness levels: high, medium and low
- Max mode: 1000 lm / 2 h burn time / 70-170 m light distance
- Med mode: 400 lm / 5 h burn time / 45-105 m light distance
- Min mode: 70 lm / 20 h burn time / 22-50 m light distance
- Tail switch – easy-access button on the tail of the light
- Wrist strap
- IP68 – dustproof and waterproof
- Rechargeable (USB-C) 18650 Li-Ion battery
- Compatible with bigger 21700 battery for longer burn time (sold separately)
- Battery level indicator in four levels
- Compatible with Silva Flashlight holster (sold separately)
- Material: Aluminium

/// INCLUDED

/// RELATED PRODUCTS



38544
Flashlight
battery
21700



38542
Flashlight
Holster

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|--|-----------------|----------------|---------------------|
|--|-----------------|----------------|---------------------|

| | | | |
|------------|---------|---|----------|
| MAX | 1000 lm | 2 | 70-170 m |
|------------|---------|---|----------|

| | | | |
|------------|--------|---|----------|
| MED | 400 lm | 5 | 45-105 m |
|------------|--------|---|----------|

| | | | |
|------------|-------|----|---------|
| MIN | 70 lm | 20 | 22-50 m |
|------------|-------|----|---------|

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#).
Burn time is presented as a span with the lowest and highest value in various conditions.
For more information about ANSI and how different factors affect the burn time and light output;
have a look at our headlamp guide at: www.silvasweden.com

GEARLIGHT 400

ART. NO. 38535



Gearlight 400 features 400 lumen light output with two brightness levels, a tail switch and a low-battery warning. It has a dustproof and waterproof (IP67) design with a knurled surface for optimal grip and a wrist strap. Gearlight 400 is your reliable light, always within reach.

/// FEATURES

- 400 lumen light output
- Weight 128 g (including battery)
- 2 brightness levels: high and low
- Max mode: 400 lm / 3 h 15 min burn time / 155 m (508 ft) light distance
- Min mode: 70 lm / 20 h burn time / 65 m (213 ft) light distance
- Tail switch – easy-access button on the tail of the light
- Wrist strap
- IP67 – dust-tight and waterproof
- Powered by 3xAAA batteries (not included)
- Low-battery warning
- Compatible with Silva Flashlight holster (sold separately)
- Material: Aluminium

/// RELATED PRODUCTS



38542
Flashlight
Holster

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 400 lm | 3.25 | 155 m |
| MED | | | |
| MIN | 70 lm | 20 | 65 m |

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#). Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com

POCKETLIGHT 200

ART. NO. 38534



Pocketlight 200 features 200 lumen light output with two brightness levels, a tail switch and a low-battery warning. It has a dustproof and water-resistant (IP65) design with a knurled surface for optimal grip and a wrist strap. Pocketlight 200 is your reliable light, always within reach.

/// FEATURES

- 200 lumen light output
- Weight: 66g (including battery)
- 2 brightness levels: high and low
- Max mode: 200 lm / 3 h burn time / 65 m (213 ft) light distance
- Min mode: 70 lm / 90 h burn time / 45 m (148 ft) light distance
- Tail switch – easy-access button on the tail of the light
- Wrist strap
- IP65 – dustproof and water resistant
- Powered by a single AA battery (not included)
- Low-battery warning
- Compatible with Silva Flashlight holster (sold separately)
- Material: Aluminium

| | True Lumen ANSI | Burn Time ANSI | Light distance ANSI |
|------------|-----------------|----------------|---------------------|
| MAX | 200 lm | 2 | 65 m |
| MED | | | |
| MIN | 70 lm | 5 | 45 m |

Lumen, burn time and light distance are measured according to the [ANSI FL1 STANDARD](#). Burn time is presented as a span with the lowest and highest value in various conditions. For more information about ANSI and how different factors affect the burn time and light output; have a look at our headlamp guide at: www.silvasweden.com

ACCESSORIES

LIGHTING



SILVA

FREE HEADLAMP BATTERY L 72 WH

ART. NO. 38234



Free Headlamp Battery 72 Wh is a powerful long-distance battery. It is water-resistant, rechargeable and has a 5-step battery indicator. It can easily be mounted to a helmet or a bike frame (mounts sold separately). This battery fits all headlamps within the Free series.

/// FEATURES

- 72 Wh compact long-distance battery
- Weight: 367 g
- Fits the Free-series
- Water resistant - meets the IPX5 requirements
- 5-step battery indication
- Red safety light at the back of the head



FREE HEADLAMP BATTERY M 36 WH

ART. NO. 38233



Free Headlamp Battery 36 Wh is a powerful long distance battery. It is water-resistant, rechargeable and has a 5-step battery indicator. It can easily be mounted to a helmet or a bike frame (mounts sold separately). This battery fits all headlamps within the Free series.

/// FEATURES

- 36 Wh compact long-distance battery
- Weight: 202 g
- Fits the Free-series
- Water resistant - meets the IPX5 requirements
- 5-step battery indication
- Red safety light at the back of the head



FREE HEADLAMP BATTERY S 24.1 WH

ART. NO. 38280



Silva Free Headlamp Battery 24.1 is a slim and lightweight battery. It is water-resistant, rechargeable and has a 5-step battery indicator. It can easily be mounted to a helmet or a handle bar or bike frame (mounts sold separately). This battery fits all headlamps within the Free series.

/// FEATURES

- 24.1 Wh slim & lightweight battery
- Weight: 149 g
- Fits the Free-series
- Water resistant - meets the IPX5 requirements
- 5 level battery indicator
- Red safety light at the back of the head



battery indication



Free technology



IPX5



USB-C rechargeable

HYBRID BATTERY 1.25 AH (4.75 WH)

ART. NO. 38007



The Hybrid Battery 1.25 Ah (4.75 Wh) is designed to be used in combination with the Hybrid Battery Case or in the Scout 3, Terra Scout or Discover series. It is USB-C rechargeable, compact and the lightest rechargeable battery in the Silva battery range.

/// FEATURES

- 1.25 Ah (4.75 Wh) – ultra compact and flexible use
- Weight: 25g
- Same size as 3xAAA batteries
- Hybrid Technology
- Fits the Hybrid Battery Case (sold separately)
- Battery indication
- Water resistant, meets the IPX5 requirements
- USB-C charging

HYBRID BATTERY 1.25 AH (4.75 WH)

ART. NO. 38007



The Hybrid Battery 1.25 Ah (4.75 Wh) is designed to be used in combination with the Hybrid Battery Case or in the Scout 3, Terra Scout or Discover series. It is USB-C rechargeable, compact and the lightest rechargeable battery in the Silva battery range.

/// FEATURES

- 1.25 Ah (4.75 Wh) – ultra compact and flexible use
- Weight: 25g
- Same size as 3xAAA batteries
- Hybrid Technology
- Fits the Hybrid Battery Case (sold separately)
- Battery indication
- Water resistant, meets the IPX5 requirements
- USB-C charging

SILVA

www.silvasweden.com

Facebook, Instagram, Youtube, Mynewsdesk
@silvaglobal